

To: Minter, Douglas[Minter.Douglas@epa.gov]; Lucero, Adele[Lucero.Adele@epa.gov]
From: Sierra-Lopez, Omar[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1C2130E884DD45B7909D43E7E701BD98-SIERRA-LOPE]
Sent: Fri 11/13/2020 11:05:06 PM (UTC)
Subject: Re: OST response letter is routing for signature

Thank you Douglas.

Adele: Disregard.

Regards,

Omar Sierra-Lopez
Physical Scientist (Environmental)

U. S. Environmental Protection Agency (Region 8)
Underground Injection Control Program
Mail Code: 8WD-SDU
1595 Wynkoop Street
Denver, Colorado 80202-1129
Phone 303.312.7045

EPA Region 8 UIC website:
<http://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy>

From: Minter, Douglas <Minter.Douglas@epa.gov>
Sent: Friday, November 13, 2020 3:58 PM
To: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>
Subject: RE: OST response letter is routing for signature

Everything going to Greg will go through his secretary so no need to add more names.

From: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>
Sent: Friday, November 13, 2020 3:54 PM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Subject: Fw: OST response letter is routing for signature

Douglas:

Regarding Sarah's routing (see below); after Darcy, do I need to route to RA Secretary, ARA and RA? or just straight to RA?

Regards,

Omar Sierra-Lopez
Physical Scientist (Environmental)

U. S. Environmental Protection Agency (Region 8)
Underground Injection Control Program
Mail Code: 8WD-SDU
1595 Wynkoop Street
Denver, Colorado 80202-1129
Phone 303.312.7045

EPA Region 8 UIC website:

From: Bahrman, Sarah <Bahrman.Sarah@epa.gov>

Sent: Friday, November 13, 2020 3:26 PM

To: Sierra-Lopez, Omar <Sierra-Lopez.Omar@epa.gov>

Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Varilek, Kimberly <Varilek.Kimberly@epa.gov>; Logan, Paul <Logan.Paul@epa.gov>

Subject: OST response letter is routing for signature

Hi Omar –

Here's another Dewey Burdock related correspondence to route. This time please have the routing go as follows:

Douglas

Kim

Paul

Sarah

Adele

Darcy

Greg Sopkin for signature

Kim/Paul – we are routing through sharepoint to have formal concurrence. Darcy made a couple of minor edits in the last two paragraphs. Otherwise the draft is the same as what you helped author earlier this week. Please keep an eye out for this so we can keep it moving to signature – the email will come from “UIC.”

Thanks,

Sarah

Sarah E. Bahrman | Chief, Safe Drinking Water Branch | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101